

city-centric **smart** street lighting

inteli**LIGHT**®



city-centric  
**smart** street lighting


We work with city managers,  
street lighting operators and lamp  
manufacturers all over the world to  
understand their particularities,  
adapt and build smart cities  
together.



**FLASHNET**

FLASHNET SA, part of Lucy Group  
4A Fundatura Harmanului St.  
Brasov 500240, ROMANIA  
Phone: +40 268 333 766  
Fax: +40 268 334 331  
[www.FLASHNET.ro](http://www.FLASHNET.ro)  
[www.inteliLIGHT.eu](http://www.inteliLIGHT.eu)

2023 en v1.1



# cities are **growing** fast

In a world where lighting accounts for more than 19% of the global power consumption, smart street lighting **reduces energy consumption and CO2 emissions by up to 40%**, saving millions for communities everywhere.

**Environmental**  
concerns



**Budget**  
constraints



**People**  
expect more



Things that have been in place for a hundred years are now just about to **change**




# and need to be **smarter**

All smart city systems need two essential resources to work, and intelligent street lighting provides them both:

**communication**  
infrastructure



permanent  
**power** supply





## intelligent street lighting

## for the community

## for the municipality



### control

Street lighting operates autonomously, using preset algorithms based on astronomical calendar, light level sensors or motion detectors. You can add scheduled exceptions or manually control ON/OFF and dimming for either individual lamps, lamp segments or the entire grid.



### awareness

Gain full hardware, electrical and geographical awareness for the street lighting grid. inteliLIGHT® offers detailed electrical parameters for every lamp and feeder pillar, with real-time malfunction alerts and inventory control, all displayed on a user-friendly map overlay.



### optimization

Enjoy faster maintenance interventions and improved lighting policies. Advanced analytic report tools help you understand the trends and monitor energy loss. Also, malfunctions are reported in real time and the maintenance teams can be informed and deployed right away.



### integration

Control everything from one place. inteliLIGHT® allows subsequent management of compatible sensors and IoT applications. Furthermore, it integrates with other city systems and major smart city platforms through northbound and southbound API connectivity.

### increased safety through improved lighting service quality

Street lighting acts as a crime deterrent and helps avoiding the risk of accidents. With inteliLIGHT®, street lighting malfunctions are detected and addressed before the citizens even get the chance to notice them.

### reduced energy and maintenance costs

Up to 40% lower energy consumption with intelligent ON/OFF switching, progressive dimming and efficient energy management. Smart maintenance and proactive grid interventions decrease operational costs by up to 42%.

### more sustainable cities and cleaner environment

Reduced energy consumption means less CO2 and lower environmental impact in the context of increasingly demanding norms. Dimming also decreases light's negative impact on birds and wildlife.

### unprecedented options and open communication standards


NB-IoT, LTE-M, LoRaWAN™, Sigfox, LonWorks® PLC. inteliLIGHT® uses any IoT open protocol communication technology or combines them to meet the project's needs. Flashnet's IoT Platform and TALQ compatibility make sure it is easy to integrate, even if you are already using lighting control hardware and/or software from other providers.

### installation flexibility and multiple form factors

Our controllers can upgrade existing lighting fixtures or can be embedded into new luminaries, to minimize the visual impact. Whether using wire connections or standard sockets (e.g. ZHAGA, NEMA), the actual deployment is almost plug-and-play.

### integrated with major smart city platforms

Keep planning for a synergistic smart city. inteliLIGHT® is already integrated with major citywide management platforms like ENGIE livin', Nokia, Ericsson, Cisco Kinetic for Cities or Telekom Cloud.



we know each project is **unique**



## choose the lighting control that **fits you** best

Which communication technology fits best? Do you need a private communication infrastructure or can you use locally available public IoT communications? Our technical consultants will assist you to choose the appropriate system configuration and will work together with the lamp manufacturer or the lighting service provider to identify and implement specific controller customizations.



## **never** feel **supplier locked** again

Don't worry if you already have a streetlight control system in place, if you plan to work with multiple suppliers or if you already use smart city integrations. Our system uses open communication technologies, allows northbound and southbound API connections and is already integrated with major smart city platforms.



## build a **smart city**

### **smarter lighting for a smarter city**

The autonomous street lighting, continuous awareness, real-time malfunction alerts and dynamic ON/OFF/dimming control are some of the immediate smart city benefits.

### **add smart applications to the "always on" lighting grid**

With inteliLIGHT's lamp-level control, the street light networks are continuously under power. There is a large number of sensors and IoT devices that can be supplied directly from the grid.

### **build synergistic smart cities**

A real smart city is the one integrating all services, not managing them individually and inteliLIGHT is already integrated with most smart city application suppliers.



## make sure everything **works**

### **easy to install**

inteliLIGHT is a reliable plug-and-play turnkey solution, supported by a proven simple 4-steps implementation process. The technical and compatibility assessment, system tailoring and pilot project implementation will be fluent and, after you validate the proposed solution, the actual deployment will be a smooth and user friendly process. The system becomes functional within days and you can start controlling the connected lamps immediately.

### **impressive track record**

Our projects speak for themselves. Hundreds of thousands of lamp controllers and feeder pillar monitoring units installed in hundreds of projects on all continents prove inteliLIGHT's functionality and reliability.

inteli**LIGHT**®

# system architecture


## luminaire controllers

Several available form factors: NEMA, ZHAGA and compact wired controllers to be embedded into lighting poles or into luminaires right from the production line.

EMBEDDED

ZHAGA

NEMA



## lighting panel control & monitoring unit

Installed inside the feeder pillar, it is designed to provide autonomous operation for street lighting installations and to carry out three phase measurements and analysis of electrical parameters in street lighting grids.

## private or public communication infrastructure




API for your own software

## inteliLIGHT® StreetLight Control software



## smart city platform integrations



## controllers & form factors


We're always up to date with industry innovations. Our products integrate multiple hardware connectors and unprecedented functionalities, for both individual lamp or lighting segment control.



### NEMA socket

Plug-and-play upgrade for lamps with compatible 7-pin NEMA socket (ANSI C136.41).

- › integrated light level sensor
- › digital input
- › 83 x 78 mm (Ø x h)
- › IP66 rating



### ZHAGA socket

Plug-and-play upgrade for lamps with compatible ZHAGA (book18).

- › 83 x 50 mm (Ø x h)
- › IP66 rating



### embedded

Minimum impact on the lamp design, full management and feedback capabilities right from the lamp manufacturer.

- › connectors
- › digital input
- › 110 x 48 x 36 mm (L x W x h)
- › IP20 rating



### inside pole

Designed to be installed directly into the lighting pole, making it less visible from an aesthetic point of view and allowing easier access for maintenance teams.

- › cable connected
- › digital input
- › 126 x 57 x 42 mm (L x W x h)
- › IP66 rating




### lighting panel control and monitoring unit

Designed to control and monitor the street lighting grid at lighting panel level, can be a fail-safe mechanism for smart street lighting installations.

- › GPS for exact location and time
- › LCD for displaying electrical parameters and device status
- › maintenance switch for local manual override
- › three phase electric monitoring
- › 2 x digital INPUT
- › DIN RAIL mounting
- › dimensions: 138 x 90 x 47 mm (L x W x h)
- › IP20 (optional IP67 external housing)

# communication technology **agnostic**

LonWorks® PLC, LoRaWAN™, NB-IoT, Sigfox, Wi-SUN. We use any open protocol communication technology or combine them to meet the project's needs.



\*under development

**LoRaWAN™** is a Low Power Wide Area Network (LPWAN) that provides bi-directional RF communication. It works over unlicensed radio frequencies and can be installed privately or used with an existing public service. One base station covers up to 5 km in low to medium density urban areas and up to 15 km line-of-sight in rural or remote area installations.


**Sigfox** is a radio/LPWAN IoT communication technology that provides low power, low data rate and low communication costs using the Ultra-Narrow Band (UNB) technology and unlicensed ISM radio bands. It is the communication of choice in projects only if there is already Sigfox coverage available, as it is only available as a public network.

**LonWorks®** (by Echelon) is a power-line communication technology that enables sending data over existing power cables. It provides reliable and secured data transmission at reasonable bitrates, being recommended in linear lighting grids. It is an excellent alternative for RF in tunnels and also when the radio bandwidth is crowded or prone to interference.

**Narrow-Band IoT (NB-IoT)** is an IoT narrowband RF communication technology provided by major telecom companies and uses the mobile network to connect. As any carrier-grade communication technology, it comes with increased security and uptime guarantees. Provides excellent penetration, so it can be used in high density urban areas. It cannot be operated privately so there is no initial investment, but will require a subscription.

**LTE-M** is a low power wide area (LPWA) IoT communications standard published by 3GPP. LTE-M networks co-exist with 2G, 3G, and 4G mobile networks and benefit from all the security and privacy features of carrier-grade networks. Provides excellent penetration, so it can be used in high density urban areas. It cannot be operated privately so there is no initial investment, but will require a subscription.

**Wi-SUN** (Wireless Smart Ubiquitous Network) is a wireless mesh communication technology based on the IEEE 802.15.4g standard, supporting long-distance transmission and low power consumption. Wi-SUN can be used for large-scale outdoor IoT wireless communication networks in a wide range of applications for Utilities, Smart Cities and IoT. Due to the mesh topology, its reliability improves as more devices participate in the network.



# inteliLIGHT® StreetLight Control **software**

The software integrates perfectly with inteliLIGHT® controllers and communication devices and is also compatible with any other open-protocol hardware solution available on the market (third party end devices using PLC, LoRaWAN™, 2G/3G/LTE, NB-IoT, Wi-SUN or Sigfox).



### Awareness & Control

The customizable dashboard focuses on general system status, the notification engine alerts of any important events and the map interface helps deep dive into details. Manual commands allow full control of any smart object and inventory keeps track of everything. In-depth analytics & reports reveal a wealth of information to synthesize optimizations.



### Flexibility

More than lighting controllers, you can connect and enroll any smart and non-smart objects in the same installation location (pinpoint), enabling a pole-centered ecosystem. Group them to allow logical aggregation of common data, preparing your city for real smart city synergies.




### Automation

To make things easier, any repetitive task or functionality can be automated. Street lighting operates autonomously based on smart scheduling procedures and the rule engine uses multiple event sources (electrical parameters, communication, or scheduler events) to automatically issue tickets or commands.



### Security


Scalability and high availability without compromising performance: fast, responsive, fault tolerant, with huge real-time data ingestion. To secure it, authentication uses a WSO2 identity server with OAUTH2 industry-standard protocol and multi-factor authentication is available with SMS and email.





# smart integrations

The Flashnet IoT Platform enables intelLiLIGHT **interoperability** with different software solutions, network providers and equipment manufacturers. intelLiLIGHT can coexist with third-party sensors & controllers, third-party software applications and can also connect to existing integrated city management platforms.



## TALQ smart city protocol

A global standard that provides a common language for smart city applications, enabling command and monitoring of different types of connected devices through an easy-to-integrate protocol. TALQ defines the message types, data format, parameters and behaviour. Moreover, it provides secured access and associated data payloads to describe the devices, their functions and attributes.

<b>Configuration</b> Device discovery, commissioning, service capabilities	<b>Data Collection</b> Eventing, periodic data collect, adhoc data collect, log config	<b>On-demand Read</b> Read of metering attributes and status	<b>Control &amp; Override</b> Schedulers, control programs, calendars, commands, overrides	<b>Group Management</b> Create groups, update groups, delete groups	<b>Data Package</b> Firmware update, sending any proprietary data package
TLS Security					
HTTP RESTful					

## smart city



## smart city platforms

# project steps

InteliLIGHT® is a reliable plug-and-play turnkey solution, supported by a proven 4-steps implementation process. It doesn't mean that implementing InteliLIGHT® is simple, but we do most of the work. All you have to do is marked in **orange**, leave the rest to us!

1

You need a better, greener city and you **contact us** to upgrade your street lighting grid.

2

We provide basic system information and the **start-up questionnaire**.

3

You send us all the relevant street lighting **infrastructure information** and details about your specific needs.

4

After the technical assessment, we present you the **technical solution**, the budget and deployment timeline.

5

You **evaluate** our proposal, then choose a functionality demonstration or a pilot project deployment.

6

We **custom tailor** InteliLIGHT® and we coordinate and manage system demonstrations.

7

You **validate** the demonstration outcome, we sign the agreement and start the actual implementation.

8

We coordinate the **project deployment** together with our local implementation partner.

9

We organize all necessary user **training sessions** and system presentations to ensure successful system operation.

10

After the implementation, we provide 24/7 **technical support**.

## Industry best practice for a 10-year public lighting project in **Brussels**, Belgium

A thorough testing procedure for best suitable smart street lighting solution for one of the most urbanized areas in the world. Energy efficiency, reduced carbon dioxide emissions, optimized maintenance and increased comfort and quality of life for its citizens in a truly integrated and future-proof smart city platform.


- › 2021 (deployment in progress)
- › 85 000 streetlamps in the city
- › Individual lamp control
- › NEMA controllers
- › NB-IoT, Cellular communications
- › Third party software, integrated via TALO2



## The smart city transformation of **Washington**, D.C., USA

A project that will reduce energy use by more than 50%, improve equity of service and extend Wi-Fi coverage in underserved neighborhoods.

- › 2022 (deployment in progress)
- › 75 000 streetlamps
- › Individual lamp control
- › NEMA controllers
- › NB-IoT, LTE-M communications
- › inteliLIGHT® Streetlight Control Software
- › Smart city integrations: Wi-Fi coverage



## Efficient street lighting & custom sensor integration in **Mecca**, Saudi Arabia

In one of the first large scale smart street lighting deployments in the Middle East, Mecca chose inteliLIGHT® PLC street lighting management solution with customized features: cable cut detection, pole door opening and pole impact sensors.

- › 2012
- › 25 000 streetlamps
- › Individual and segment control
- › Pole-mounted controllers
- › LonWorks PLC
- › inteliLIGHT® Streetlight Control Software
- › 24% energy savings



## Seamless lighting using third party software for **Athena - Thessaloniki Highway**, Greece

- › 2018
- › Over 300 km of highway
- › Individual lamp control
- › Pole-mounted controllers
- › LoRaWAN™ private communication network
- › Estimated 55% energy savings (with LED and dimming scenarios)
- › Estimated 850.000 Euro saved annually
- › 5 years ROI

## 15-year commitment to manage smart street lighting in **Santiago, Chile**


A mix of LoRaWAN and cellular communications and multiple controller form factors to manage Santiago's public lighting infrastructure and light the way towards a sustainable, smarter city.

- › 2020
- › 70 000 streetlamps
- › Individual and segment control
- › Pole-mounted and NEMA controllers
- › LoRaWAN™ and Cellular communications
- › inteliLIGHT® Streetlight Control Software
- › Smart city integrations: irrigation, waste management, city asset localization, air quality and environment sensors



## Zhaga socket used for a large scale LoRaWAN™ deployment in **Brescia, Italy**

- › 2019
- › 44 000 streetlamps
- › Individual and segment control
- › Zhaga controllers
- › LoRaWAN™ public communication network
- › inteliLIGHT® Streetlight Control Software



## EV Charging directly from the street lighting power grid in **Brasov**, Romania

Local conditions demanded the use of hybrid communications, while the city's unique vision required the installation and management of environmental sensors, parking sensors, CCTV cameras and a functioning EV Charging system powered directly from the street lighting grid.

- › 2015
- › 15 000 streetlamps
- › Individual and segment control
- › Pole-mounted and NEMA controllers
- › LonWorks PLC, LoRaWAN™ and Cellular communications
- › inteliLIGHT® Streetlight Control Software
- › Additional smart city services



## Lighting efficiency and architectural value for **Dubai**, UAE

How to provide smart management capabilities, while maintaining the architectural integrity for the award-winning street lighting design project of Dubai's newest touristic and commercial attraction? Install inteliLIGHT® embedded controllers inside the street lighting fixtures.

- › 2016
- › Dubai Water Canal
- › Individual and segment control
- › Embedded controllers
- › LonWorks PLC communications
- › inteliLIGHT® Streetlight Control Software

